# **BioAgPhos**®

mg/kg P)

### (0-12.7-0-1)Biologically-active source of phosphate

# **IMMEDIATE AND SUSTAINED SOURCE OF** PLANT-AVAILABLE PHOSPHORUS

#### **TYPICAL ANALYSIS (DRY WEIGHT)**

Users are encouraged to seek further advice www.bioag.com.au/agronomy-sales.

Total Phosphorus	<b>12.7</b> %
Phosphorus - Citric acid soluble	5.2 %
Phosphorus - Formic acid soluble	9.3 %
Calcium as phosphate	35 %
Sulphur (in crystal structure)	1.1 %
Cadmium [Maximum]	14 % (110 mg/kg F
Cadmium [Maximum Allowed Limit]	300 mg/kg P
Fluorine	3.6 % (284 g/kg P)

#### **APPLICATION**

Belt spreader. Risk of blow under windy conditions. **APPLICATION RATE** 

Typically between 100-500 kg/ha. Consult with your BioAg agronomist or distributor. **COMPATIBILITY** 

Can be easily mixed with lime, gypsum and trace elements. Compatible with synthetic fertilisers. Consult your agronomist.

#### WEIGHT [TONNE] - CHECK INVOICE

This label complies with the Fertiliser Industry Code of Practice for Fertiliser Description and Labelling.

V0217.1 Copyright BioAg Pty Ltd 2017.

#### PARTICLE SIZE (TYPICAL ANALYSIS)

0.5mm sieve (% passing) 87.4% 0.25mm sieve (% passing) 59.3 % 0.15mm sieve (% passing) 24.2 % 0.1mm sieve (% passing) 8.7 %

#### PHYSICAL DESCRIPTION

Brown to grey fine sand.

## **STORAGE & HANDLING**

No special requirements.

#### ADDITIONAL INFORMATION

Refer to your BioAg Pty Ltd advisor, the BioAg website (www.bioag.com.au) or the SDS. WARNING STATEMENTS

Do not swallow. The dust from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin. This product contains heavy metal impurities. Its use may lead to an accumulation of cadmium in the soil. Depending on soil characteristics, irrigation water quality, plant species & variety, crop uptake of cadmium may exceed the maximum limits allowed in FSANZ Food Standards Code. In pastures, the offal from grazing animals may also exceed these limits. This product contains fluorine as an impurity. Do not feed this product to livestock or use in stock feed mixtures. If top dressing pastures do not graze for 3 weeks or until rain or irrigation is received. Users are encouraged to seek further advice.

#### **DISTRIBUTED BY**

**BioAg Pty Ltd** 22-26 Twynam St Narrandera NSW 2700





Better soils. Better crops. Better stock.™